

Artikelübersicht SYSTEM- und STANDARD- und TROLLEY Koffer

29/05/2019

Artikelnummer	Innenabmessungen (mm)					Aussenabmessungen [mm]				
	Länge	Breite	Höhe	Höhe	Deckel	Länge	Breite	Höhe	Höhe	Deckel
	L*	B*	H*	Boden	Höhe	L	B	H	boden	Höhe
FT 102 169-21	154	154	165	110	55	180	200	200	125	75
FT 102 169-22	154	154	220	110	110	180	200	260	125	135
FT 102 057-21	280	250	260	165	95	310	300	295	180	115
FT 102 057-22	280	250	325	165	160	310	300	360	180	180
FT 102 083	285	250	210	130	80	310	295	245	140	105
FT 102 067	302	197	165	80	85	325	245	215	100	115
FT 102 070-31	315	295	425	315	110	400	380	460	330	130
FT 102 070-32	315	295	555	315	240	400	380	590	330	260
FT 102 070-33	315	295	642	315	327	400	380	680	330	350
FT 102 070-21	320	300	337	227	110	400	380	375	245	130
FT 102 070-22	320	300	467	227	240	400	380	505	245	260
FT 102 070-11	330	325	208	98	110	400	380	245	115	130
FT 102 004-11	350	245	140	65	75	385	295	165	75	90
FT 102 004-21	350	245	200	125	75	385	295	225	135	90
FT 102 004-22	350	245	260	125	135	385	295	285	135	150
FT 102 040-11	355	245	130	75	55	380	295	165	85	80
FT 102 040-22	355	245	200	125	75	380	295	240	140	100
FT 102 163-11	355	290	165	90	75	405	335	195	100	95
FT 102 163-21	355	290	215	140	75	405	335	245	150	95
FT 102 163-31	355	290	265	190	75	405	335	295	200	95
FT 102 149	370	330	220	105	115	400	380	240	115	125
FT 102 099	380	320	335	240	95	420	370	355	250	105
FT 102 179-21	380	260	265	215	50	430	310	300	225	75
FT 102 045	410	218	365	240	125	460	260	415	255	160
FT 102 092	410	330	155	85	70	460	385	170	90	80

FT 102 061	420	210	330	245	85	450	255	375	260	115
FT 48 24 03 S	428	200	175	120	55	480	250	210	135	75
FT 48 24 04 S	428	200	240	185	55	480	250	275	200	75
FT 48 24 05 S	428	200	305	185	120	480	250	340	200	140
FT 48 24 06 S	428	200	370	185	185	480	250	405	200	205
FT 48 32 03 S	428	270	175	120	55	480	320	210	135	75
FT 48 32 04 S	428	270	240	185	55	480	320	275	200	75
FT 48 32 05 S	428	270	305	185	120	480	320	340	200	140
FT 48 32 06 S	428	270	370	185	185	480	320	405	200	205
FT 48 32-165 Trolley	428	270	165	85	80	480	320	245	145	100
FT 48 32-230 Trolley	428	270	230	150	80	480	320	310	210	100
FT 48 32-270 Trolley	428	270	270	150	120	480	320	350	210	140
FT 48 32-335 Trolley	428	270	335	150	185	480	320	415	210	205
FT 48 40 03 S	428	350	175	120	55	485	400	210	135	75
FT 48 40 04 S	428	350	240	185	55	485	400	275	200	75
FT 48 40 05 S	428	350	305	185	120	485	400	340	200	140
FT 48 40 06 S	428	350	370	185	185	485	400	405	200	205
FT 48 40-165 Trolley	428	350	165	85	80	480	400	245	145	100
FT 48 40-230 Trolley	428	350	230	150	80	480	400	310	210	100
FT 48 40-270 Trolley	428	350	270	150	120	480	400	350	210	140
FT 48 40-335 Trolley	428	350	335	150	185	480	400	415	210	205
FT 48 48 03 S	430	430	175	120	55	485	480	210	135	75
FT 48 48 04 S	430	430	240	185	55	485	480	275	200	75
FT 48 48 05 S	430	430	305	185	120	485	480	340	200	140
FT 48 48 06 S	430	430	370	185	185	485	480	405	200	205
FT 48 48-165 Trolley	430	430	165	85	80	480	480	245	155	90
FT 48 48-230 Trolley	430	430	230	150	80	480	480	310	220	90
FT 48 48-270 Trolley	430	430	270	150	120	480	480	350	220	130
FT 48 48-335 Trolley	430	430	335	150	185	480	480	415	220	195
FT 102 174-31	440	440	370	280	90	495	495	390	290	100
FT 102 174-32	440	440	425	280	145	495	495	445	290	155
FT 102 174-41	440	440	420	330	90	495	495	440	340	100
FT 102 174-42	440	440	475	330	145	495	495	495	340	155
FT 102 178-21	445	355	135	80	55	465	405	165	90	75
FT 102 178-22	445	355	180	80	100	465	405	210	90	120
FT 102 178-31	445	355	185	130	55	465	405	270	195	75

FT 102 178-32	445	355	230	130	100	465	405	315	195	120
FT 102 178-41	445	355	240	185	55	465	405	270	195	75
FT 102 178-42	445	355	285	185	100	465	405	315	195	120
FT 102 178-44	445	355	375	185	190	465	405	405	195	210
FT 102 036-21	448	305	340	190	150	510	360	375	205	170
FT 102 036-31	448	305	450	300	150	510	360	485	315	170
FT 102 064	460	215	207	100	107	480	265	245	115	130
FT 102 177-31	475	390	185	130	55	495	440	215	140	75
FT 102 177-32	475	390	230	130	100	495	440	260	140	120
FT 102 177-41	475	390	240	185	55	495	440	270	195	75
FT 102 177-42	475	390	285	185	100	495	440	315	195	120
FT 102 177-44	475	390	375	185	190	495	440	405	195	210
FT 102 072-22	480	365	225	110	115	530	410	245	120	125
FT 102 072-32	480	365	280	165	115	530	410	300	175	125
FT 102 072-33	480	365	335	165	170	530	410	355	175	180
FT 102 072-42	480	365	325	210	115	530	410	345	220	125
FT 102 072-43	480	365	380	210	170	530	410	400	220	180
FT 102 072-44	480	365	425	210	215	530	410	445	220	225
FT 102 072-52	480	365	370	255	115	530	410	390	265	125
FT 102 072-53	480	365	425	255	170	530	410	445	265	180
FT 102 072-54	480	365	470	255	215	530	410	490	265	225
FT 102 072-55	480	365	515	255	260	530	410	535	265	270
FT 102 183-22	480	430	315	180	135	535	485	355	195	160
FT 102 183-42	480	430	475	340	135	535	485	520	360	160
FT Trolley 2010-385	490	432	310	185	125	570	480	385	235	150
FT Trolley 2010-440	490	432	365	240	125	570	480	440	290	150
FT Trolley 2010-505	490	432	430	240	190	570	480	505	290	215
FT 102 050-11	493	368	130	75	55	515	425	170	90	80
FT 102 050-21	493	368	165	110	55	515	425	205	125	80
FT 102 050-22	493	368	225	110	115	515	425	265	125	140
FT 102 050-31	493	368	190	135	55	515	425	230	150	80
FT 102 050-32	493	368	250	135	115	515	425	290	150	140
FT 102 050-33	493	368	275	135	140	515	425	315	150	165
FT 102 023-21	495	370	145	90	55	520	420	180	105	75
FT 102 023-31	495	370	185	130	55	520	420	220	145	75
FT 102 023-33	495	370	265	130	135	520	420	300	145	155

FT 54 42 29-15	500	370	275	135	140	535	415	285	140	145
FT Trolley 2012-420	500	429	350	295	55	570	480	415	335	80
FT Trolley 2012-465	500	429	395	295	100	570	480	460	335	125
FT Trolley 2012-480	500	429	410	355	55	570	480	480	400	80
FT Trolley 2012-525	500	429	455	355	100	570	480	525	400	125
FT 102 039	502	502	490	240	250	570	550	530	260	270
FT 102 181-11	510	430	165	110	55	560	480	210	130	80
FT 56 24 03 S	510	200	175	120	55	565	250	210	135	75
FT 56 24 04 S	510	200	240	185	55	565	250	275	200	75
FT 56 24 05 S	510	200	305	185	120	565	250	340	200	140
FT 56 24 06 S	510	200	370	185	185	565	250	405	200	205
FT 56 32 03 S	510	270	175	120	55	565	320	210	135	75
FT 56 32 04 S	510	270	240	185	55	565	320	275	200	75
FT 56 32 05 S	510	270	305	185	120	565	320	340	200	140
FT 56 32 06 S	510	270	370	185	185	565	320	405	200	205
FT 56 32-165 Trolley	510	270	165	85	80	560	320	245	145	100
FT 56 32-230 Trolley	510	270	230	150	80	560	320	310	210	100
FT 56 32-270 Trolley	510	270	270	150	120	560	320	350	210	140
FT 56 32-335 Trolley	510	270	335	150	185	560	320	415	210	205
FT 56 40 03 S	510	350	175	120	55	565	400	210	135	75
FT 56 40 04 S	510	350	240	185	55	565	400	275	200	75
FT 56 40 05 S	510	350	305	185	120	565	400	340	200	140
FT 56 40 06 S	510	350	370	185	185	565	400	405	200	205
FT 56 40-165 Trolley	510	350	165	85	80	560	400	245	145	100
FT 56 40-230 Trolley	510	350	230	150	80	560	400	310	210	100
FT 56 40-270 Trolley	510	350	270	150	120	560	400	350	210	140
FT 56 40-335 Trolley	510	350	335	150	185	560	400	415	210	205
FT 56 48 03 S	510	430	175	120	55	570	480	210	135	75
FT 56 48 04 S	510	430	240	185	55	570	480	275	200	75
FT 56 48 05 S	510	430	305	185	120	570	480	340	200	140
FT 56 48 06 S	510	430	370	185	185	570	480	405	200	205
FT 56 48-165 Trolley	510	430	165	85	80	560	480	245	155	90
FT 56 48-230 Trolley	510	430	230	150	80	560	480	310	220	90
FT 56 48-270 Trolley	510	430	270	150	120	560	480	350	220	130
FT 56 48-335 Trolley	510	430	335	150	185	560	480	415	220	195
FT 56 56 03 S	510	510	175	120	55	570	560	210	135	75

FT 56 56 04 S	510	510	240	185	55	570	560	275	200	75
FT 56 56 05 S	510	510	305	185	120	570	560	340	200	140
FT 56 56 06 S	510	510	370	185	185	570	560	405	200	205
FT 56 56-165 Trolley	510	510	165	85	80	560	560	245	155	90
FT 56 56-230 Trolley	510	510	230	150	80	560	560	310	220	90
FT 56 56-270 Trolley	510	510	270	150	120	580	560	360	220	140
FT 56 56-335 Trolley	510	510	335	150	185	560	560	415	220	195
FT Trolley 2012-275	510	429	215	160	55	570	480	275	195	80
FT Trolley 2012-320	510	429	260	160	100	570	480	320	195	125
FT Trolley 2012-330	510	429	270	215	55	570	480	330	250	80
FT Trolley 2012-375	510	429	315	215	100	570	480	375	250	125
FT 102 028-20	520	315	265	205	60	580	365	305	220	85
FT 102 028-21	520	315	300	205	95	580	365	340	220	120
FT 102 028-30	520	315	340	280	60	580	365	380	295	85
FT 102 028-31	520	315	375	280	95	580	365	415	295	120
FT 102 068-22	530	550	200	95	105	620	605	230	110	120
FT 102 068-32	530	550	245	140	105	620	605	275	155	120
FT 102 068-33	530	550	290	140	150	620	605	320	155	165
FT 102 068-42	530	550	300	195	105	620	605	330	210	120
FT 102 068-43	530	550	345	195	150	620	605	375	210	165
FT 102 068-44	530	550	400	195	205	620	605	430	210	220
FT 102 068-52	530	550	360	255	105	620	605	390	270	120
FT 102 068-53	530	550	405	255	150	620	605	435	270	165
FT 102 068-54	530	550	460	255	205	620	605	490	270	220
FT 102 068-55	530	550	520	255	265	620	605	550	270	280
FT 6 4 4	550	350	390	285	105	605	405	410	300	110
FT 61 42 12-6	560	365	100	55	45	615	420	125	70	55
FT 61 42 16-6	560	365	140	95	45	615	420	165	110	55
FT 61 42 23-7	560	365	210	140	70	615	420	235	155	80
FT 102 010	565	265	425	285	140	620	315	460	300	160
FT 102 087-22	565	360	400	195	205	615	410	440	215	225
FT 102 087-42	565	360	595	390	205	615	410	625	400	225
FT 62 50 25-13	565	450	240	115	125	620	500	250	120	130
FT 62 50 30-16	565	450	300	145	155	620	500	310	150	160
FT 102 182-11	567	444	135	90	45	615	495	180	110	70
FT 102 182-21	567	444	185	140	45	615	495	230	160	70

FT 102 051	568	260	295	145	150	590	315	335	160	175
FT 102 069-11	580	465	210	100	110	635	510	250	115	135
FT 102 069-21	580	465	310	200	110	635	510	345	210	135
FT 102 069-22	580	465	410	200	210	635	510	445	210	235
FT 102 069-31	580	465	410	300	110	635	510	445	310	135
FT 102 069-32	580	465	510	300	210	635	510	545	310	235
FT 102 069-33	580	465	610	300	310	635	510	645	310	335
FT Trolley 2008-375	580	517	295	175	120	655	565	375	230	145
FT Trolley 2008-425	580	517	345	225	120	655	565	425	280	145
FT Trolley 2008-495	580	517	415	225	190	655	565	495	280	215
FT Trolley 2014-355	580	524	290	220	70	650	580	355	260	95
FT Trolley 2014-415	580	524	350	220	130	650	580	415	260	155
FT Trolley 2014-435	580	524	370	300	70	650	580	435	340	95
FT Trolley 2014-500	580	524	430	300	130	650	580	495	340	155
FT 102 027	590	510	240	115	125	640	560	280	130	150
FT 102 155-31	590	350	255	190	65	615	405	285	200	85
FT 102 155-32	590	350	315	190	125	615	405	345	200	145
FT 102 155-33	590	350	385	190	195	615	405	415	200	215
FT 102 161-21	590	430	175	120	55	650	490	205	130	75
FT 102 161-22	590	430	245	120	125	650	490	275	130	145
FT 64 24 03 S	590	190	175	120	55	640	240	195	130	65
FT 64 24 04 S	590	190	240	185	55	640	240	260	195	65
FT 64 24 05 S	590	190	305	185	120	640	240	325	195	130
FT 64 24 06 S	590	190	370	185	185	640	240	390	195	195
FT 64 32 03 S	590	270	175	120	55	640	320	195	130	65
FT 64 32 04 S	590	270	240	185	55	640	320	260	195	65
FT 64 32 05 S	590	270	305	185	120	640	320	325	195	130
FT 64 32 06 S	590	270	370	185	185	640	320	390	195	195
FT 64 32-165 Trolley	590	270	165	85	80	640	320	235	145	90
FT 64 32-230 Trolley	590	270	230	150	80	640	320	300	210	90
FT 64 32-270 Trolley	590	270	270	150	120	640	320	340	210	130
FT 64 32-335 Trolley	590	270	335	150	185	640	320	405	210	195
FT 64 40 04 S	590	350	240	185	55	640	400	260	195	65
FT 64 40 05 S	590	350	305	185	120	640	400	325	195	130
FT 64 40 06 S	590	350	370	185	185	640	400	390	195	195
FT 64 40-165 Trolley	590	350	165	85	80	640	400	245	155	90

FT 64 40-230 Trolley	590	350	230	150	80	640	400	310	220	90
FT 64 40-270 Trolley	590	350	270	150	120	640	400	350	220	130
FT 64 40-335 Trolley	590	350	335	150	185	640	400	415	220	195
FT 64 48 03 S	590	430	175	120	55	640	480	195	130	65
FT 64 48 04 S	590	430	240	185	55	640	480	260	195	65
FT 64 48 05 S	590	430	305	185	120	640	480	325	195	130
FT 64 48 06 S	590	430	370	185	185	640	480	390	195	195
FT 64 48-165 Trolley	590	430	165	85	80	640	480	245	155	90
FT 64 48-230 Trolley	590	430	230	150	80	640	480	310	220	90
FT 64 48-270 Trolley	590	430	270	150	120	640	480	350	220	130
FT 64 48-335 Trolley	590	430	335	150	185	640	480	415	220	195
FT 64 56 03 S	590	510	175	120	55	640	560	195	130	65
FT 64 56 04 S	590	510	240	185	55	640	560	260	195	65
FT 64 56 05 S	590	510	305	185	120	640	560	325	195	130
FT 64 56 06 S	590	510	370	185	185	640	560	390	195	195
FT 64 56-165 Trolley	590	510	165	85	80	640	560	245	155	90
FT 64 56-230 Trolley	590	510	230	150	80	640	560	310	220	90
FT 64 56-270 Trolley	590	510	270	150	120	640	560	350	220	130
FT 64 56-335 Trolley	590	510	335	150	185	640	560	415	220	195
FT 64 64 03 S	590	590	175	120	55	640	640	195	130	65
FT 64 64 04 S	590	590	240	185	55	640	640	260	195	65
FT 64 64 05 S	590	590	305	185	120	640	640	325	195	130
FT 64 64 06 S	590	590	370	185	185	640	640	390	195	195
FT 64 64-165 Trolley	590	590	165	85	80	640	640	245	155	90
FT 64 64-230 Trolley	590	590	230	150	80	640	640	310	220	90
FT 64 64-270 Trolley	590	590	270	150	120	640	640	350	220	130
FT 64 64-335 Trolley	590	590	335	150	185	640	640	415	220	195
FT 102 097	595	595	500	250	250	650	650	530	260	270
FT Trolley 2000-320	600	478	260	105	155	705	530	325	155	170
FT Trolley 2000-360	600	478	300	145	155	705	530	360	190	170
FT Trolley 2000-400	600	478	340	145	195	705	530	400	190	210
FT 66 53 27-11	610	480	250	155	95	660	525	265	160	105
FT 66 53 34-18	610	480	315	150	165	660	525	330	155	175
FT Trolley 2016-310	615	487	245	160	85	680	545	310	200	110
FT 102 059	625	520	200	100	100	675	565	240	115	125
FT 102 062-10	625	355	180	105	75	680	400	215	120	95

FT 102 062-11	625	355	220	105	115	680	400	255	120	135
FT 102 062-20	625	355	230	155	75	680	400	265	170	95
FT 102 062-21	625	355	270	155	115	680	400	305	170	135
FT 102 062-22	625	355	320	155	165	680	400	355	170	185
FT 102 062-30	625	355	330	255	75	680	400	365	270	95
FT 102 062-31	625	355	370	255	115	680	400	405	270	135
FT 102 062-32	625	355	420	255	165	680	400	455	270	185
FT 102 062-33	625	355	520	255	265	680	400	555	270	285
FT 102 062-40	625	355	430	355	75	680	400	465	370	95
FT 102 062-41	625	355	470	355	115	680	400	505	370	135
FT 102 062-42	625	355	520	355	165	680	400	555	370	185
FT 102 062-43	625	355	620	355	265	680	400	655	370	285
FT 102 062-44	625	355	720	355	365	680	400	755	370	385
FT 102 184-11	625	485	135	90	45	675	535	180	110	70
FT Trolley 2002-350	630	410	290	210	80	710	465	365	260	105
FT Trolley 2002-400	630	410	340	260	80	710	465	415	310	105
FT Trolley 2002-500	630	410	420	250	170	710	465	495	300	195
FT Trolley 2002-540	630	410	470	260	210	710	465	545	310	235
FT 102 024-21	640	405	145	90	55	665	455	180	105	75
FT 102 024-31	640	405	185	130	55	665	455	220	145	75
FT 102 024-33	640	405	265	130	135	665	455	300	145	155
FT 102 012-21	650	555	325	225	100	710	605	355	240	115
FT 102 022-32	660	660	510	340	170	720	710	550	355	195
FT 102 037	662	570	775	385	390	720	620	815	400	415
FT 72 32 03 S	670	270	175	120	55	720	320	195	130	65
FT 72 32 04 S	670	270	240	185	55	720	320	260	195	65
FT 72 32 05 S	670	270	305	185	120	720	320	325	195	130
FT 72 32 06 S	670	270	370	185	185	720	320	390	195	195
FT 72 32-165 Trolley	670	270	165	85	80	720	320	235	145	90
FT 72 32-230 Trolley	670	270	230	150	80	720	320	300	210	90
FT 72 32-270 Trolley	670	270	270	150	120	720	320	340	210	130
FT 72 32-335 Trolley	670	270	335	150	185	720	320	405	210	195
FT 72 40 03 S	670	350	175	120	55	720	400	195	130	65
FT 72 40 04 S	670	350	240	185	55	720	400	260	195	65
FT 72 40 05 S	670	350	305	185	120	720	400	325	195	130
FT 72 40 06 S	670	350	370	185	185	720	400	390	195	195

FT 72 40-165 Trolley	670	350	165	85	80	720	400	245	155	90
FT 72 40-230 Trolley	670	350	230	150	80	720	400	310	220	90
FT 72 40-270 Trolley	670	350	270	150	120	720	400	350	220	130
FT 72 40-335 Trolley	670	350	335	150	185	720	400	415	220	195
FT 72 48 03 S	670	430	175	120	55	720	480	195	130	65
FT 72 48 04 S	670	430	240	185	55	720	480	260	195	65
FT 72 48 05 S	670	430	305	185	120	720	480	325	195	130
FT 72 48 06 S	670	430	370	185	185	720	480	390	195	195
FT 72 48-165 Trolley	670	430	165	85	80	720	480	245	155	90
FT 72 48-230 Trolley	670	430	230	150	80	720	480	310	220	90
FT 72 48-270 Trolley	670	430	270	150	120	720	480	350	220	130
FT 72 48-335 Trolley	670	430	335	150	185	720	480	415	220	195
FT 72 56 03 S	670	510	175	120	55	720	560	195	130	65
FT 72 56 04 S	670	510	240	185	55	720	560	260	195	65
FT 72 56 05 S	670	510	305	185	120	720	560	325	195	130
FT 72 56 06 S	670	510	370	185	185	720	560	390	195	195
FT 72 56-230 Trolley	670	510	230	150	80	720	560	310	220	90
FT 72 56-270 Trolley	670	510	270	150	120	720	560	350	220	130
FT 72 56-335 Trolley	670	510	335	150	185	720	560	415	220	195
FT 72 64 03 S	670	590	175	120	55	720	640	195	130	65
FT 72 64 04 S	670	590	240	185	55	720	640	260	195	65
FT 72 64 05 S	670	590	305	185	120	720	640	325	195	130
FT 72 64 06 S	670	590	370	185	185	720	640	390	195	195
FT 72 64-165 Trolley	670	590	165	85	80	720	640	245	155	90
FT 72 64-230 Trolley	670	590	230	150	80	720	640	310	220	90
FT 72 64-270 Trolley	670	590	270	150	120	720	640	350	220	130
FT 72 64-335 Trolley	670	590	335	150	185	720	640	415	220	195
FT 72 72 03 S	670	670	175	120	55	720	720	195	130	65
FT 72 72 04 S	670	670	240	185	55	720	720	260	195	65
FT 72 72 05 S	670	670	305	185	120	720	720	325	195	130
FT 72 72 06 S	670	670	370	185	185	720	720	390	195	195
FT 72 72-165 Trolley	670	670	165	85	80	720	720	245	155	90
FT 72 72-230 Trolley	670	670	230	150	80	720	720	310	220	90
FT 72 72-270 Trolley	670	670	270	150	120	720	720	350	220	130
FT 72 72-335 Trolley	670	670	335	150	185	720	720	415	220	195
FT Trolley 2015-375	670	506	305	235	70	750	560	380	285	95

FT Trolley 2015-410	670	506	340	235	105	750	560	415	285	130
FT Trolley 2015-425	670	506	350	280	70	750	560	425	330	95
FT Trolley 2015-460	670	506	385	280	105	750	560	460	330	130
FT 72 56-165 Trolley	675	510	165	85	80	740	560	255	155	100
FT 102 008-21	680	345	220	175	45	740	395	255	190	65
FT 102 008-31	680	345	280	235	45	740	395	315	250	65
FT 102 008-32	680	345	335	235	100	740	395	370	250	120
FT 102 008-41	680	345	340	295	45	740	395	375	310	65
FT 102 008-42	680	345	395	295	100	740	395	430	310	120
FT 102 008-43	680	345	455	295	160	740	395	490	310	180
FT 102 029	682	327	360	280	80	740	375	400	295	105
FT 102 030-21	682	515	217	137	80	740	565	255	150	105
FT 102 030-22	682	515	282	137	145	740	565	320	150	170
FT 102 030-31	682	515	360	280	80	740	565	400	295	105
FT 102 030-32	682	515	425	280	145	740	565	465	295	170
FT 102 030-41	682	515	460	380	80	740	565	500	395	105
FT 102 030-42	682	515	525	380	145	740	565	565	395	170
FT 102 030-43	682	515	590	380	210	740	565	620	395	225
FT 102 044	685	635	195	95	100	740	685	235	110	125
FT 102 048	695	150	207	100	107	720	200	240	115	125
FT 102 002-21	705	280	200	150	50	765	330	230	170	60
FT 102 002-31	705	280	270	220	50	765	330	300	240	60
FT 102 002-32	705	280	360	220	140	765	330	390	240	150
FT 102 002-41	705	280	330	280	50	765	330	360	300	60
FT 102 002-42	705	280	420	280	140	765	330	450	300	150
FT 102 086	710	280	275	135	140	760	330	315	155	160
FT 102 034-11	740	340	245	120	125	800	395	285	135	150
FT 102 034-31	740	340	485	360	125	800	400	525	375	150
FT 102 066	745	350	383	188	195	800	400	425	205	220
FT 102 003-21	750	330	200	150	50	810	380	230	165	65
FT 102 003-31	750	330	270	220	50	810	380	300	235	65
FT 102 003-32	750	330	360	220	140	810	380	390	235	155
FT 102 003-41	750	330	330	280	50	810	380	360	295	65
FT 102 003-42	750	330	420	280	140	810	380	450	295	155
FT 102 063-750	750	210	143	68	75	770	260	185	85	100
FT 80 40 03 S	750	350	175	120	55	800	400	195	130	65

FT 80 40 04 S	750	350	240	185	55	800	400	260	195	65
FT 80 40 05 S	750	350	305	185	120	800	400	325	195	130
FT 80 40 06 S	750	350	370	185	185	800	400	390	195	195
FT 80 40-165 Trolley	750	350	165	85	80	800	400	245	155	90
FT 80 40-230 Trolley	750	350	230	150	80	800	400	310	220	90
FT 80 40-270 Trolley	750	350	270	150	120	800	400	350	220	130
FT 80 40-335 Trolley	750	350	335	150	185	800	400	415	220	195
FT 80 48 03 S	750	430	175	120	55	800	480	195	130	65
FT 80 48 04 S	750	430	240	185	55	800	480	260	195	65
FT 80 48 05 S	750	430	305	185	120	800	480	325	195	130
FT 80 48 06 S	750	430	370	185	185	800	480	390	195	195
FT 80 48-165 Trolley	750	430	165	85	80	800	480	245	155	90
FT 80 48-230 Trolley	750	430	230	150	80	800	480	310	220	90
FT 80 48-270 Trolley	750	430	270	150	120	800	480	350	220	130
FT 80 48-335 Trolley	750	430	335	150	185	800	480	415	220	195
FT 80 56 03 S	750	510	175	120	55	800	560	195	130	65
FT 80 56 04 S	750	510	240	185	55	800	560	260	195	65
FT 80 56 05 S	750	510	305	185	120	800	560	325	195	130
FT 80 56 06 S	750	510	370	185	185	800	560	390	195	195
FT 80 56-165 Trolley	750	510	165	85	80	800	560	245	155	90
FT 80 56-230 Trolley	750	510	230	150	80	800	560	310	220	90
FT 80 56-270 Trolley	750	510	270	150	120	800	560	350	220	130
FT 80 56-335 Trolley	750	510	335	150	185	800	560	415	220	195
FT 80 64 03 S	750	590	175	120	55	800	640	195	130	65
FT 80 64 04 S	750	590	240	185	55	800	640	260	195	65
FT 80 64 05 S	750	590	305	185	120	800	640	325	195	130
FT 80 64 06 S	750	590	370	185	185	800	640	390	195	195
FT 80 64-165 Trolley	750	590	165	85	80	800	640	245	155	90
FT 80 64-230 Trolley	750	590	230	150	80	800	640	310	220	90
FT 80 64-270 Trolley	750	590	270	150	120	800	640	350	220	130
FT 80 64-335 Trolley	750	590	335	150	185	800	640	415	220	195
FT 80 72 03 S	750	670	175	120	55	800	720	195	130	65
FT 80 72 04 S	750	670	240	185	55	800	720	260	195	65
FT 80 72 05 S	750	670	305	185	120	800	720	325	195	130
FT 80 72 06 S	750	670	370	185	185	800	720	390	195	195
FT 80 72-165 Trolley	750	670	165	85	80	800	720	245	155	90

FT 80 72-230 Trolley	750	670	230	150	80	820	720	320	220	100
FT 80 72-270 Trolley	750	670	270	150	120	800	720	350	220	130
FT 80 72-335 Trolley	750	670	335	150	185	800	720	415	220	195
FT 80 80 03 S	750	750	175	120	55	800	800	195	130	65
FT 80 80 04 S	750	750	240	185	55	800	800	260	195	65
FT 80 80 05 S	750	750	305	185	120	800	800	325	195	130
FT 80 80 06 S	750	750	370	185	185	800	800	390	195	195
FT 80 80-165 Trolley	750	750	165	85	80	800	800	245	155	90
FT 80 80-230 Trolley	750	750	230	150	80	800	800	310	220	90
FT 80 80-270 Trolley	750	750	270	150	120	800	800	350	220	130
FT 80 80-335 Trolley	750	750	335	150	185	800	800	415	220	195
FT Trolley 2006-340	750	590	275	125	150	810	640	340	165	175
FT 102 159-11	755	555	105	50	55	805	605	150	65	85
FT 102 159-21	755	555	195	140	55	805	605	240	155	85
FT 102 159-22	755	555	290	140	150	805	605	335	155	180
FT 102 159-31	755	555	285	230	55	805	605	330	245	85
FT 102 159-32	755	555	380	230	150	805	605	425	245	180
FT 102 159-33	755	555	465	230	235	805	605	510	245	265
FT 102 159-41	755	555	380	325	55	805	605	425	340	85
FT 102 159-42	755	555	475	325	150	805	605	520	340	180
FT 102 159-43	755	555	560	325	235	805	605	605	340	265
FT 102 159-44	755	555	655	325	330	805	605	700	340	360
FT 102 159-51	755	555	440	385	55	805	605	485	400	85
FT 102 159-52	755	555	535	385	150	805	605	580	400	180
FT 102 159-53	755	555	620	385	235	805	605	665	400	265
FT 102 159-54	755	555	715	385	330	805	605	760	400	360
FT 102 159-55	755	555	775	385	390	805	605	820	400	420
FT 102 065-21	760	670	237	140	97	820	725	290	160	130
FT 102 065-22	760	670	287	140	147	820	725	340	160	180
FT 102 065-41	760	670	392	295	97	820	725	445	315	130
FT 102 065-42	760	670	442	295	147	820	725	495	315	180
FT 102 065-44	760	670	597	295	302	820	725	650	315	335
FT 102 176-31	764	356	360	280	80	820	405	410	310	100
FT 102 176-32	764	356	405	280	125	820	405	455	310	145
FT 102 176-41	764	356	400	320	80	820	405	450	350	100
FT 102 176-42	764	356	445	320	125	820	405	495	350	145

FT 102 080-11	780	760	170	80	90	850	850	210	100	110
FT 102 080-21	780	760	270	180	90	850	850	315	205	110
FT 102 080-22	780	760	370	180	190	850	850	410	200	210
FT 102 080-41	780	760	475	385	90	850	850	515	405	110
FT 102 080-42	780	760	575	385	190	850	850	615	405	210
FT 102 080-44	780	760	780	385	395	850	850	820	405	415
FT 102 006-11	785	525	205	100	105	835	575	245	115	130
FT 102 006-21	785	525	295	190	105	845	575	335	205	130
FT 102 006-22	785	525	385	190	195	845	575	425	205	220
FT 102 006-31	785	525	360	255	105	845	575	400	270	130
FT 102 006-32	785	525	450	255	195	845	575	490	270	220
FT 102 006-41	785	525	435	330	105	845	575	475	345	130
FT 102 006-42	785	525	525	330	195	845	575	565	345	220
FT 102 006-43	785	525	590	330	260	845	575	630	345	285
FT 102 043-21	790	790	280	170	110	860	850	320	185	135
FT 102 043-22	790	790	335	170	165	860	850	375	185	190
FT 102 043-31	790	790	350	240	110	860	850	390	255	135
FT 102 043-32	790	790	405	240	165	860	850	450	260	190
FT 102 043-33	790	790	485	240	245	860	850	530	260	270
FT 102 053	800	445	495	400	95	870	500	535	415	120
FT 102 074-31	845	575	235	155	80	890	620	265	170	95
FT 102 074-33	845	575	320	155	165	890	620	350	170	180
FT 102 074-41	845	575	285	205	80	890	620	318	218	100
FT 102 074-43	845	575	370	205	165	890	620	400	220	180
FT 102 074-44	845	575	420	205	215	890	620	450	220	230
FT 102 074-51	845	575	340	260	80	890	620	370	275	95
FT 102 074-53	845	575	425	260	165	890	620	455	275	180
FT 102 074-54	845	575	475	260	215	890	620	505	275	230
FT 102 074-55	845	575	520	255	265	890	620	550	270	280
FT 102 074-61	845	575	385	305	80	890	620	415	320	95
FT 102 074-63	845	575	470	305	165	890	620	500	320	180
FT 102 074-64	845	575	520	305	215	890	620	550	320	230
FT 102 074-65	845	575	570	305	265	890	620	600	320	280
FT 102 074-66	845	575	620	305	315	890	620	650	320	330
FT 102 060	850	655	580	290	290	915	710	620	305	315
FT 102 156-21	875	352	185	120	65	940	410	225	135	90

FT 102 156-22	875	352	245	120	125	940	410	285	135	150
FT 102 156-31	875	352	255	190	65	940	410	295	205	90
FT 102 156-32	875	352	315	190	125	940	410	355	205	150
FT 102 156-33	875	352	385	190	195	940	410	425	205	220
FT 102 156-41	875	352	325	260	65	940	410	365	275	90
FT 102 156-42	875	352	385	260	125	940	410	425	275	150
FT 102 156-43	875	352	455	260	195	940	410	495	275	220
FT 102 156-44	875	352	525	260	265	940	410	565	275	290
FT 102 073-11	880	280	215	105	110	940	330	235	115	120
FT 102 073-21	880	280	330	220	110	940	330	350	230	120
FT 102 073-22	880	280	445	220	225	940	330	465	230	235
FT 102 082-11	880	450	220	105	115	945	510	250	120	130
FT 102 082-21	880	450	320	205	115	945	510	350	220	130
FT 102 082-22	880	450	420	205	215	945	510	450	220	230
FT 102 082-31	880	450	420	305	115	945	510	450	320	130
FT 102 082-32	880	450	520	305	215	945	510	550	320	230
FT 102 082-33	880	450	620	305	315	945	510	650	320	330
FT 102 168-11	895	510	185	90	95	955	565	215	100	115
FT 102 168-21	895	510	285	190	95	955	565	315	200	115
FT 102 168-22	895	510	385	190	195	955	565	415	200	215
FT 102 018-11	905	905	205	100	105	970	970	245	115	130
FT 102 018-21	905	905	295	190	105	970	970	335	205	130
FT 102 018-22	905	905	385	190	195	970	970	425	205	220
FT 102 020-22	914	724	295	145	150	985	790	335	160	175
FT 102 020-32	914	724	440	290	150	985	790	480	305	175
FT 102 020-33	914	724	585	290	295	985	790	625	305	320
FT 102 091-11	940	540	210	100	110	990	580	250	120	130
FT 102 091-31	940	540	390	280	110	990	580	430	300	130
FT 102 091-33	940	540	570	280	290	990	580	610	300	310
FT 102 175-11	958	680	175	85	90	1025	745	225	105	120
FT 102 175-21	958	680	220	130	90	1025	745	270	150	120
FT 102 175-22	958	680	270	130	140	1025	745	320	150	170
FT 102 175-41	958	680	480	390	90	1025	745	530	410	120
FT 102 175-42	958	680	530	390	140	1025	745	580	410	170
FT 102 175-44	958	680	785	390	395	1025	745	835	410	425
FT 102 025-31	975	370	185	130	55	1035	420	220	145	75

FT 102 025-33	975	370	270	130	140	1030	420	305	145	160
FT 102 171-21	980	570	270	170	100	1035	625	310	185	125
FT 102 171-22	980	570	350	170	180	1035	625	390	185	205
FT 102 171-31	980	570	385	285	100	1035	625	425	300	125
FT 102 171-32	980	570	465	285	180	1035	625	505	300	205
FT 102 171-33	980	570	580	285	295	1035	625	620	300	320
FT 102 089	995	810	400	195	205	1065	880	440	215	225
FT 102 009-11	1005	295	215	105	110	1060	350	255	120	135
FT 102 009-21	1005	295	335	225	110	1065	350	375	240	135
FT 102 049	1020	145	200	95	105	1045	200	235	110	125
FT 102 056	1020	655	310	150	160	1080	715	350	165	185
FT 102 033	1045	260	203	98	105	1070	310	245	115	130
FT 102 063-1050	1045	210	143	68	75	1070	260	185	85	100
FT 102 041-11	1117	255	120	60	60	1150	310	160	75	85
FT 102 041-21	1117	255	170	110	60	1150	310	210	125	85
FT 102 041-22	1117	255	225	110	115	1150	310	265	125	140
FT 102 180-11	1140	345	135	65	70	1195	400	170	85	85
FT 102 180-21	1140	345	225	155	70	1195	400	260	175	85
FT 102 180-22	1140	345	315	155	160	1195	400	350	175	175
FT 102 078-11	1150	750	175	85	90	1220	820	215	105	110
FT 102 078-21	1150	750	270	180	90	1220	820	310	200	110
FT 102 078-22	1150	750	370	180	190	1220	820	410	200	210
FT 102 078-31	1150	750	370	280	90	1220	820	410	300	110
FT 102 078-32	1150	750	470	280	190	1220	820	510	300	210
FT 102 078-33	1150	750	570	280	290	1220	820	610	300	310
FT 102 078-41	1150	750	475	385	90	1220	820	515	405	110
FT 102 078-42	1150	750	575	385	190	1220	820	615	405	210
FT 102 078-43	1150	750	675	385	290	1220	820	715	405	310
FT 102 078-44	1150	750	780	385	395	1220	820	820	405	415
FT 102 013-21	1170	495	190	130	60	1230	540	230	145	85
FT 102 013-22	1170	495	265	130	135	1230	540	300	145	155
FT 102 054	1170	355	370	180	190	1225	410	410	195	215
FT 102 031-11	1195	405	313	153	160	1255	455	345	165	180
FT 102 031-21	1195	405	408	248	160	1255	455	440	260	180
FT 102 007-11	1223	1025	195	95	100	1290	1090	255	120	135
FT 102 007-31	1223	1025	380	280	100	1290	1090	440	305	135

FT 102 007-33	1223	1025	565	280	285	1290	1090	625	305	320
FT 102 014-11	1240	833	265	160	105	1305	895	305	175	130
FT 102 014-21	1240	833	315	210	105	1305	895	355	225	130
FT 102 014-22	1240	833	370	210	160	1305	895	410	225	185
FT 102 015-11	1275	260	135	65	70	1300	310	175	80	95
FT 102 015-21	1275	260	170	100	70	1300	310	210	115	95
FT 102 015-22	1275	260	205	100	105	1300	310	245	115	130
FT 102 017-00	1300	700	195	95	100	1370	765	255	120	135
FT 102 017-10	1300	700	280	180	100	1370	765	340	205	135
FT 102 017-11	1300	700	365	180	185	1370	765	425	205	220
FT 102 017-20	1300	700	435	335	100	1370	765	495	360	135
FT 102 017-21	1300	700	520	335	185	1370	765	580	360	220
FT 102 017-22	1300	700	675	335	340	1370	765	735	360	375
FT 102 096	1335	645	410	200	210	1400	710	450	220	230
FT 102 094-21	1340	390	165	90	75	1395	435	195	100	95
FT 102 094-22	1340	390	185	90	95	1395	435	215	100	115
FT 102 094-31	1340	390	205	130	75	1395	435	235	140	95
FT 102 094-32	1340	390	225	130	95	1395	435	255	140	115
FT 102 094-33	1340	390	260	130	130	1395	435	290	140	150
FT 102 094-41	1340	390	255	180	75	1395	435	285	190	95
FT 102 094-42	1340	390	275	180	95	1395	435	305	190	115
FT 102 094-43	1340	390	310	180	130	1395	435	340	190	150
FT 102 094-44	1340	390	365	180	185	1395	435	395	190	205
FT 102 094-51	1340	390	430	355	75	1395	435	460	365	95
FT 102 094-52	1340	390	450	355	95	1395	435	480	365	115
FT 102 094-53	1340	390	485	355	130	1395	435	515	365	150
FT 102 094-54	1340	390	540	355	185	1395	435	570	365	205
FT 102 094-55	1340	390	715	355	360	1395	435	745	365	380
FT 102 005-21	1390	495	190	130	60	1450	550	225	145	80
FT 102 005-22	1390	495	265	130	135	1450	550	295	140	155
FT 102 162-31	1420	570	400	320	80	1490	635	450	335	115
FT 102 162-32	1420	570	460	320	140	1490	635	510	335	175
FT 102 157-21	1430	350	185	120	65	1455	405	215	130	85
FT 102 157-22	1430	350	245	120	125	1455	405	275	130	145
FT 102 157-31	1430	350	255	190	65	1455	405	285	200	85
FT 102 157-32	1430	350	315	190	125	1455	405	345	200	145

FT 102 157-33	1430	350	385	190	195	1455	405	415	200	215
FT 102 185-31	1430	372	190	130	60	1490	425	225	145	80
FT 102 185-33	1430	372	267	130	137	1480	425	305	145	160
FT 102 035-21	1490	800	250	150	100	1560	870	320	175	145
FT 102 035-22	1490	800	300	150	150	1560	870	370	175	195
FT 102 035-41	1490	800	485	385	100	1570	880	555	410	145
FT 102 035-42	1490	800	535	385	150	1570	880	605	410	195
FT 102 035-44	1490	800	770	385	385	1570	880	840	410	430
FT 102 016-11	1495	580	160	80	80	1560	640	195	95	100
FT 102 016-21	1495	580	260	180	80	1560	640	295	195	100
FT 102 016-22	1495	580	360	180	180	1560	640	395	195	200
FT 102 038	1620	885	675	335	340	1700	970	745	360	385
FT 102 063	1700	210	143	68	75	1750	260	185	85	100
FT 102 095	1710	575	385	190	195	1810	650	430	205	225
FT 102 021-21	1779	353	215	160	55	1845	415	255	175	80
FT 102 021-22	1779	353	325	160	165	1845	415	365	175	190
FT 102 011	1820	865	580	290	290	1890	930	620	305	315
FT 102 170-21	1820	775	520	355	165	1910	850	550	365	185
FT 102 170-22	1820	775	720	355	365	1910	850	750	365	385
FT 102 071-11	1825	165	165	95	70	1845	225	205	115	90
FT 102 071-21	1825	165	200	130	70	1845	225	240	150	90
FT 102 071-22	1825	165	265	130	135	1845	225	290	135	155
FT 102 170-11	1830	770	320	155	165	1910	850	350	165	185
FT 102 158-21	1845	350	185	120	65	1880	400	285	130	85
FT 102 158-22	1845	350	245	120	125	1880	400	275	130	145
FT 102 158-31	1845	350	255	190	65	1880	400	285	200	85
FT 102 158-32	1845	350	315	190	125	1880	400	345	200	145
FT 102 158-33	1845	350	385	190	195	1880	400	415	200	215
FT 102 042	1858	489	275	135	140	1925	550	315	150	165
FT 102 160-11	1995	235	140	80	60	2035	275	170	90	80
FT 102 160-21	1995	235	240	180	60	2035	275	270	190	80
FT 102 160-22	1995	235	365	180	185	2035	275	395	190	205
FT 102 001-21	2020	875	230	150	80	2090	940	290	175	115
FT 102 001-22	2020	875	300	150	150	2090	940	360	175	185
FT 102 001-31	2020	875	360	280	80	2090	940	420	305	115
FT 102 001-32	2020	875	430	280	150	2090	940	490	305	185

FT 102 001-33

2020

875

560

280

280

2090

940

620

305

315